

Commonwealth of Kentucky
Natural Resources and Environmental Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601
(502) 573-3382

Conditional Major
AIR QUALITY PERMIT

Permittee Name: Modern Welding Company of KY, Inc. -Madisonville

Mailing Address: P.O. Box 1147
Madisonville, Kentucky 42431

Source Name: Same as above

Mailing Address: Same as above
Source Location: Hwy 41-A North & Cemetary Rd
Madisonville, KY 42431

Permit Number: F-02-015
Log Number: 53409
Review Type: Conditional Major
KYEIS ID #: 21-107-00138
SIC Code: 3441

Regional Office: Owensboro Regional Office
3032 Alvery Park Drive W., Suite #700
Owensboro, KY 42303
(270) 687-7204

County: Hopkins

Application
Complete Date: May 20, 2002

Issuance Date:
Expiration Date:

John S. Lyons, Director
Division for Air Quality

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>	<u>DATE OF ISSUANCE</u>
A. PERMIT AUTHORIZATION	1	
B. EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS	2	
C. INSIGNIFICANT ACTIVITIES	5	
D. SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS	7	
E. SOURCE CONTROL EQUIPMENT OPERATING REQUIREMENTS	8	
F. MONITORING, RECORDKEEPING, AND REPORTING REQUIREMENTS	9	
G. GENERAL PROVISIONS	12	
H. ALTERNATE OPERATING SCENARIOS	15	
I. COMPLIANCE SCHEDULE	15	

SECTION A - PERMIT AUTHORIZATION

Pursuant to a duly submitted application the Kentucky Division for Air Quality hereby authorizes the construction and operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.

The permittee shall not construct, reconstruct, or modify any affected facilities without first having submitted a complete application and receiving a permit for the planned activity from the permitting authority, except as provided in this permit or in 401 KAR 52:030, Federally-enforceable permits for non-major sources.

Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by this Cabinet or any other federal, state, or local agency.

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

Group Requirements: Group 1

1 (01) **Welding**

Description: 9 Gas Metal Arc welding, 6 Shielded Metal Arc Welders, and 1 Plasma Machine. Welding of fabricated steel for water tanks. No control equipment.

Capacity rating: 5.769 lbs/hr

Construction commenced: 1979

APPLICABLE REGULATIONS: 401 KAR 59:010, New Process Operations, applies to the particulate matter emissions from units constructed on or after July 2, 1975.

401 KAR 63:060, List of hazardous air pollutants, petitions process, lesser quantity designations, and source category list.

1. **Operating Limitations:**

None

2. **Emission Limitations:**

- A. Visible emissions shall not equal or exceed 20% opacity.
401 KAR 59:010, Section 3(1)(b).
- B. Particulate emissions shall not equal or exceed 2.34 lbs/hour.
401 KAR 59:010, Section 3(2).
- C. See VOC/HAP Conditional major source-wide emission limitations in Section D.

Compliance Demonstration Method:

Combined HAPs emissions in tons/month shall be calculated using the following equation:

$$\sum_1^j \left[\text{Pr}_j \times \sum_1^I (W_{ij} \times E_{ij}) \right] \div 2000$$

Where Pr_j = Welding material throughput in 1000lb (Klb) per month.

W_{ij} = Weight percentage of specific HAP in the material in appropriate unit.

$W_{ij} \times E_{ij}$ = KYEIS emission factor (in lb/Klb)

Specific HAPs emissions in tons/month shall be calculated using the following equation:

$$(\text{Pr} \times W \times E) \div 2000$$

Particulate emissions (lb/hr) shall be calculated as follows:

$$\text{Process weight rate (Klb/hr)} \times \text{KYEIS emission factor (lb/Klb)}$$

(Same definitions as above)

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

3. **Testing Requirements:** See Section D

4. **Specific Monitoring Requirements:**

- The permittee shall perform a qualitative visual observation of the opacity of emissions from each stack/vent on a weekly basis and maintain a log of observation.
- See Section 5 of this part, Specific Recordkeeping Requirements.
- The permittee shall monitor the monthly hours of operation and the amount of welding material used.

5. **Specific Recordkeeping Requirements:**

1. A log shall be kept of all emission observations. Notation in the weekly log shall be made of, but not limited to the following:
 - (a) Whether any air emissions (except for water vapor) were visible from the plant.
 - (b) Whether the visible emissions were normal for the process.
 - (c) The cause of any abnormal emissions, and any corrective action taken.
 - (d) The opacity of emissions as determined by reference method 9 and any other corrective actions, if visible emissions from any stack or vent are observed.
2. Recordkeeping consisting of all materials containing HAPs used with HAP content for each and total HAPs emissions shall be kept monthly. The total HAPs emissions individual and combination shall be summarized each month and a 12 month rolling total shall be calculated, recorded, and compared to the emission limitations as specified in 2. Emission Limitations, of this section.
3. All purchase orders and invoices for materials containing VOC and HAPs shall be made available for inspection upon request by any duly authorized representatives of the Division for Air Quality.

6. **Specific Reporting Requirements:**

Semi-annual reports shall be sent to the Division's Owensboro Regional Office showing the monthly and the 12 month rolling total HAP emissions as required in No. 5 of this section. See Section F (5).

7. **Specific Control Equipment Operating Conditions:**

Please refer to Section E.

8. **Alternate Operating Scenarios:** None

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

Group Requirements: Group 2

2 (02) **Blasting**

Description: The grit blast unit is used for prepping small metal pieces for coating.

Control equipment: Baghouse with efficiency of 99.8%

Capacity rating: 576.923 lbs/hr

Construction commenced: 1979

APPLICABLE REGULATIONS: 401 KAR 59:010, New Process Operations, applies to the particulate matter emissions from units constructed on or after July 2, 1975.

401 KAR 63:060, List of hazardous air pollutants, petitions process, lesser quantity designations, and source category list.

1. **Operating Limitations:**

None

2. **Emission Limitations:**

- A. Visible emissions shall not equal or exceed 20% opacity.
401 KAR 59:010, Section 3(1)(b).
- B. Particulate emissions shall not equal or exceed 2.34 lbs/hour.
401 KAR 59:010, Section 3(2).
- C. See VOC/HAP Conditional major source-wide emission limitations in Section D.

Compliance Demonstration Method:

Combined HAPs emissions in tons/month shall be calculated using the following equation:

$$\sum_j \left[\text{Pr}_j \times \sum_i (W_{ij} \times E_{ij}) \right] \div 2000$$

Where Pr_j = Grit blast material throughput in 1000lb (Klb) per month.

W_{ij} = Weight percentage of specific HAP in the material in appropriate unit.

$W_{ij} \times E_{ij}$ = KYEIS emission factor (in lb/Klb)

Specific HAPs emissions in tons/month shall be calculated using the following equation:

$$(\text{Pr} \times W \times E) \div 2000$$

Particulate emissions (lb/hr) shall be calculated as follows:

Process weight rate (Klb/hr) \times KYEIS emission factor (lb/Klb) \times $((100 - \text{eff } \%) / 100)$

(Same definitions as above.)

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

3. **Testing Requirements:** See Section D

4. **Specific Monitoring Requirements:**

- The permittee shall perform a qualitative visual observation of the opacity of emissions from each stack/vent on a weekly basis and maintain a log of observation.
- See Section 5 of this part, Specific Recordkeeping Requirements.
- The permittee shall monitor the monthly hours of operation and the amount of grit material used.

5. **Specific Recordkeeping Requirements:**

1. A log shall be kept of all emission observations. Notation in the weekly log shall be made of, but not limited to the following:
 - a) Whether any air emissions (except for water vapor) were visible from the plant.
 - b) Whether the visible emissions were normal for the process.
 - c) The cause of any abnormal emissions, and any corrective action taken.
 - d) The opacity of emissions as determined by reference method 9 and any other corrective actions, if visible emissions from any stack or vent are observed.
2. Recordkeeping consisting of all materials containing HAPs used with HAP content for each and total HAPs emissions shall be kept monthly. The total HAPs emissions individual and combination shall be summarized each month and a 12 month rolling total shall be calculated, recorded, and compared to the emission limitations as specified in emission limitations, No. 2 of this section.
3. All purchase orders and invoices for materials containing VOC and HAPs shall be made available for inspection upon request by any duly authorized representatives of the Division for Air Quality.

6. **Specific Reporting Requirements:**

Semi-annual reports shall be sent to the Division's Owensboro Regional Office showing the monthly and the 12 month rolling total HAP emissions as required in No. 5 of this section. See Section F (5).

7. **Specific Control Equipment Operating Conditions:**

Please refer to Section E.

8. **Alternate Operating Scenarios:** None

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

Group Requirements: Group 3

3 (03)

Painting

Description: Painting of fabricated steel.

Control Equipment: Paint Booth Filter with efficiency of 99.9%.

Capacity rating: 6.342 gal/hr.

Construction commenced: 1979

APPLICABLE REGULATIONS: 401 KAR 59:010, New Process Operations, applies to the particulate matter emissions from units constructed on or after July 2, 1975.

401 KAR 63:060, List of hazardous air pollutants, petitions process, lesser quantity designations, and source category list.

1. **Operating Limitations:**

None

2. **Emission Limitations:**

A. Visible emissions shall not equal or exceed 20% opacity.

401 KAR 59:010, Section 3(1)(b).

B. Particulate emissions shall not equal or exceed 2.34 lbs/hour.

401 KAR 59:010, Section 3(2).

C. See VOC/HAP Conditional major source-wide emission limitations in Section D.

Compliance Demonstration Method:

Combined VOC/HAPs emissions in tons/month shall be calculated using the following equation:

$$\sum_1^j \left[\text{Pr}_j \times \sum_1^I (W_{ij} \times E_{ij}) \right] \div 2000$$

Where Pr_j = Coating material throughput in gallons per month.

W_{ij} = Weight percentage of specific VOC/HAP in the material in appropriate unit.

E_{ij} = KYEIS emission factor (in lb/gal)

Specific HAPs emissions in tons/month shall be calculated using the following equation:

$$(\text{Pr} \times W \times E) \div 2000$$

Particulate emissions (lb/hr) shall be calculated as follows:

Process weight rate (gal/hr) × KYEIS emission factor (lb/gal) × ((100 – eff %)/100)

(Same definitions as above.)

SECTION B - EMISSION POINTS, EMISSIONS UNITS, APPLICABLE REGULATIONS, AND OPERATING CONDITIONS (CONTINUED)

3. **Testing Requirements:** See Section D

4. **Specific Monitoring Requirements:**

- The permittee shall perform a qualitative visual observation of the opacity of emissions from each stack/vent on a weekly basis and maintain a log of observation.
- See Section 5 of this part, Specific Recordkeeping Requirements.
- The permittee shall monitor the monthly hours of operation and the amount of coating material used.

5. **Specific Recordkeeping Requirements:**

1. A log shall be kept of all emission observations. Notation in the weekly log shall be made of, but not limited to the following:
 - a) Whether any air emissions (except for water vapor) were visible from the plant.
 - b) Whether the visible emissions were normal for the process.
 - c) The cause of any abnormal emissions, and any corrective action taken.
 - d) The opacity of emissions as determined by reference method 9 and any other corrective actions, if visible emissions from any stack or vent are observed.
2. Recordkeeping consisting of all materials containing HAPs/VOC's used with HAP/VOC content for each and total HAPs/VOC emissions shall be kept monthly. The total HAPs emissions individual and combination, and total VOC emission shall be summarized each month and a 12 month rolling total shall be calculated, recorded, and compared to the emission limitations as specified in emission limitations, No. 2 of this section.
3. All purchase orders and invoices for materials containing VOC and HAPs shall be made available for inspection upon request by any duly authorized representatives of the Division for Air Quality.

6. **Specific Reporting Requirements:**

Semi-annual reports shall be sent to the Division's Owensboro Regional Office showing the monthly and the 12 month rolling total HAP emissions as required in No. 5 of this section. See Section F (5).

7. **Specific Control Equipment Operating Conditions:**

Please refer to Section E.

8. **Alternate Operating Scenarios:** None

SECTION C – INSIGNIFICANT ACTIVITIES

The following listed activities have been determined to be insignificant activities for this source pursuant to 401 KAR 52:030, Section 6. While these activities are designated as insignificant the permittee must comply with the applicable regulation and some minimal level of periodic monitoring may be necessary.

Description of Activity	Generally Applicable Regulation
Including Rated Capacity	Or State Origin Requirements

None

SECTION D - SOURCE EMISSION LIMITATIONS AND TESTING REQUIREMENTS

1. The emissions of volatile organic compounds (VOC) shall not exceed ninety (90) tons during any consecutive twelve (12) month period. The combined HAPs shall be less than 22.5 tons and any single HAP emissions shall be less than 9.0 tons during any consecutive twelve (12) month period. Compliance can be demonstrated as described in Section B(2).
2. Testing shall be conducted at such times as may be required by the cabinet in accordance with the Regulation 401 KAR 59:005 Section 2(2) and KAR 50:045 Section 4.

SECTION E - SOURCE CONTROL EQUIPMENT REQUIREMENTS

1. Pursuant to 401 KAR 50:055, Section 2(5), at all times, including periods of startup, shutdown and malfunction, owners and operators shall, to the extent practicable, maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the division which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

SECTION F - MONITORING, RECORD KEEPING, AND REPORTING REQUIREMENTS

1. Pursuant to Section 1b (IV)(1) of the materials incorporated by reference in 401 KAR 52:030 Section 10, when continuing compliance is demonstrated by periodic testing or instrumental monitoring, the permittee shall compile records of required monitoring information that include:
 - a. Date, place (as defined in this permit), and time of sampling or measurements;
 - b. Analyses performance dates;
 - c. Company or entity that performed analyses;
 - d. Analytical techniques or methods used;
 - e. Analyses results; and
 - f. Operating conditions during time of sampling or measurement.
2. Pursuant to Section 1b (IV)(1) of the materials incorporated by reference in 401 KAR 52:030 Section 10, records of all required monitoring data, support information (including calibrations, maintenance records, and original strip chart recordings), and reports required by the Division for Air Quality shall be retained by the permittee for a period of five years. In accordance with Section 1a (7) of the materials incorporated by reference in 401 KAR 52:030 Section 10 and 401 KAR 52:030 Section 3(1)(f)1a, these records shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality.
3. In accordance with the requirements of 401 KAR 52:030 Section 3(1)(f) the permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times:
 - a. Access and copy any records required by this permit, enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation; and
 - b. Sample or monitor substances or parameters that affect compliance with the permit or any applicable requirements.Reasonable times include all hours of operation, normal office hours, and during an emergency.
4. No person shall obstruct, hamper, or interfere with any Cabinet employee or authorized representative while in the process of carrying out official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties.
5. Summary reports of any monitoring required by this permit, other than continuous emission or opacity monitors, shall be submitted to the Regional Office listed on the front of this permit at least every six (6) months during the life of this permit, unless otherwise stated in this permit. For emission units that were still under construction or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation.

SECTION F - MONITORING, RECORD KEEPING, AND REPORTING REQUIREMENTS (CONTINUED)

6. The semi-annual reports are due January 30th and July 30th of each year. All reports shall be certified by a responsible official pursuant to 401 KAR 52:030 Section 22. All deviations from permit requirements shall be clearly identified in the reports.
7. In accordance with the provisions of 401 KAR 50:055, Section 1 the owner or operator shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows:
 - a. When emissions during any planned shutdowns and ensuing startups will exceed the standards notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown.
 - b. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards notification shall be made as promptly as possible by telephone (or other electronic media) and shall cause written notice upon request.
8. Pursuant to Section 1b V(3) and (4) of the material incorporated by reference in 401 KAR 52:030 Section 10, the owner or operator shall report emission related exceedances from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Section F.7 above) to the Regional Office listed on the front of this permit within 30 days. Other deviations from permit requirements shall be included in the semiannual report required by Section F.5.
9. Pursuant to 401 KAR 52:030, Section 21, the permittee shall annually certify compliance with the terms and conditions contained in this permit by completing and returning a Compliance Certification Form (DEP 7007CC) (or an approved alternative) to the Regional Office listed on the front of this permit in accordance with the following requirements:
 - a. Identification of each term or condition of the permit that is the basis of the certification;
 - b. The compliance status regarding each term or condition of the permit;
 - c. Whether compliance was continuous or intermittent; and
 - d. The method used for determining the compliance status for the source, currently and over the reporting period.
 - e. For an emissions unit that was still under construction or which has not commenced operation at the end of the year covered by the annual compliance certification, the permittee shall indicate that the unit is under construction and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
 - f. The certification shall be postmarked by January 30th of each year. **Annual compliance certifications should be mailed to the following addresses:**

**Division for Air Quality
Florence Regional Office
8020 Veterans Memorial Drive, Suite 110
Florence, KY 41042**

**Division for Air Quality
Central Files
803 Schenkel Lane
Frankfort, KY 40601**

SECTION F - MONITORING, RECORD KEEPING, AND REPORTING REQUIREMENTS (CONTINUED)

10. In accordance with 401 KAR 52:030, Section 3(1)(d), the permittee shall provide the division with all information necessary to determine its subject emissions within thirty (30) days of the date the KEIS emission report is mailed to the permittee. If a KEIS emission report is not mailed to the permittee, comply with all other emission reporting requirements in this permit.
11. Pursuant to Section VII.3 of the policy manual of the Division for Air Quality as referenced by 401 KAR 50:016, Section 1(1), results of performance test(s) required by the permit shall be submitted to the division by the source or its representative within forty-five days after the completion of the fieldwork.
12. The cabinet may authorize the temporary use of an emission unit to replace a similar unit that is taken off-line for maintenance, if the following conditions are met:
 - a. The owner or operator shall submit to the cabinet, at least ten (10) days in advance of replacing a unit, the appropriate Forms DEP7007AI to DD that show:
 - i. The size and location of both the original and replacement units; and
 - ii. Any resulting change in emissions;
 - b. The PTE of the replacement unit shall not exceed that of the original unit by more than twenty-five (25) percent of a major source threshold, and the emissions from the unit shall not cause the source to exceed the emissions allowable under the permit;
 - c. The PTE of the replacement unit or the resulting PTE of the source shall not subject the source to a new applicable requirement;
 - d. The replacement unit shall comply with all applicable requirements; and
 - e. The source shall notify Regional office of all shutdowns and start-ups.
 - f. Within six (6) months after installing the replacement unit, the owner or operator shall:
 - i. Re-install the original unit and remove or dismantle the replacement unit; or
 - ii. Submit an application to permit the replacement unit as a permanent change.

SECTION G - GENERAL PROVISIONS

(a) General Compliance Requirements

1. The permittee shall comply with all conditions of this permit. A noncompliance shall be a violation of 401 KAR 52:030 Section 3(1)(b) and is also a violation of Federal Statute 42 USC 7401 through 7671q (the Clean Air Act). Noncompliance with this permit is grounds for enforcement action including but not limited to the termination, revocation and reissuance, revision, or denial of a permit. [Section 1a (2) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
2. Notification by the permittee of a planned change or anticipated noncompliance, or filing of a request for any permit revision, reissuance, or rescission shall not stay any permit condition. [Section 1a (5) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
3. Pursuant to Section 1a (2) of the materials incorporated by reference in 401 KAR 52:030 Section 10, 401 KAR 52:030 Section 7(3), and 401 KAR 50:060 Section 2, this permit may be revised, revoked, reopened and reissued, or terminated for cause in accordance with 401 KAR 52:030 Section 18. The permit will be reopened for cause and revised accordingly under the following circumstances:
 - a. If additional applicable requirements become applicable to the source and the remaining permit term is three (3) years or longer. In this case, the reopening shall be completed no later than eighteen (18) months after promulgation of the applicable requirement. A reopening shall not be required if compliance with the applicable requirement is not required until after the date on which the permit is due to expire, unless this permit or any of its terms and conditions have been extended pursuant to 401 KAR 52:030 Section 12;
 - b. The Cabinet or the U. S. EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements;
 - c. The Cabinet or the U. S. EPA determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

Proceedings to reopen and reissue a permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists. Reopenings shall be made as expeditiously as practicable. Reopenings shall not be initiated before a notice of intent to reopen is provided to the source by the division, at least thirty (30) days in advance of the date the permit is to be reopened, except that the division may provide a shorter time period in the case of an emergency.

4. The permittee shall furnish upon request information requested by the division to determine compliance with the permit or to determine if cause exists for modifying, revoking and reissuing, or terminating the permit. [Sections 1a (6) and (7) of the materials incorporated by reference in 401 KAR 52:030 Section 10]

SECTION G - GENERAL PROVISIONS (CONTINUED)

5. The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the permitting authority. [401 KAR 52:030 Section 7(1)]
6. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [Section 1a (11) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
7. The permittee shall not use as a defense in an enforcement action the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance. [Section 1a (3) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
8. Except as identified as state-origin requirements in this permit, all terms and conditions contained herein shall be enforceable by the United States Environmental Protection Agency and citizens of the United States. [Section 1a (12)(b) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
9. This permit shall be subject to suspension if the permittee fails to pay all emissions fees within 90 days after the date of notice as specified in 401 KAR 50:038 Section 3(6). [Section 1a (9) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
10. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 52:030 Section 11(3)]
11. This permit does not convey property rights or exclusive privileges. [Section 1a (8) of the materials incorporated by reference in 401 KAR 52:030 Section 10]
12. Issuance of this permit does not relieve the permittee from the responsibility of obtaining any other permits, licenses, or approvals required by the Kentucky Cabinet for Natural Resources and Environmental Protection or any other federal, state, or local agency.
13. Nothing in this permit shall alter or affect the authority of U.S. EPA to obtain information pursuant to Federal Statute 42 USC 7414, Inspections, monitoring, and entry.
14. Nothing in this permit shall alter or affect the authority of U.S. EPA to impose emergency orders pursuant to Federal Statute 42 USC 7603, Emergency orders.
15. Permit Shield – A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with:
 - (a) Applicable requirements that are included and specifically identified in this permit; and
 - (b) Non-applicable requirements expressly identified in this permit.

SECTION G - GENERAL PROVISIONS (CONTINUED)

16. Emission units described in this permit shall demonstrate compliance with applicable requirements if requested by the division. [401 KAR 52:030 Section 3(1)(c)]
17. The authority to operate granted through this permit shall cease to apply if the source fails to submit additional information requested by the division after the completeness determination has been made on any application, by whatever deadline the division sets. [401 KAR 52:030 Section 8(2)]
18. All previously issued construction and operating permits are hereby subsumed into this permit.

(b) Permit Expiration and Reapplication Requirements

This permit shall remain in effect for a fixed term of five (5) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the division at least six months prior to the expiration date of the permit. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the division. [401 KAR 52:030 Section 12]

(c) Permit Revisions

1. Minor permit revision procedures specified in 401 KAR 52:030 Section 14 (3) may be used for permit revisions involving the use of economic incentive, marketable permit, emission trading, and other similar approaches, to the extent that these minor permit revision procedures are explicitly provided for in the SIP or in applicable requirements and meet the relevant requirements of 401 KAR 52:030 Section 14 (2).
2. This permit is not transferable by the permittee. Future owners and operators shall obtain a new permit from the Division for Air Quality. The new permit may be processed as an administrative amendment if no other change in this permit is necessary, and provided that a written agreement containing a specific date for transfer of permit responsibility coverage and liability between the current and new permittee has been submitted to the permitting authority within ten (10) days following the transfer.

(d) Construction, Start-Up, and Initial Compliance Demonstration Requirements

None

SECTION G - GENERAL PROVISIONS (CONTINUED)

(e) Acid Rain Program Requirements

1. If an applicable requirement of Federal Statute 42 USC 7401 through 7671q (the Clean Air Act) is more stringent than an applicable requirement promulgated pursuant to Federal Statute 42 USC 7651 through 7651o (Title IV of the Act), both provisions shall apply, and both shall be state and federally enforceable.

(f) Emergency Provisions

1. Pursuant to 401 KAR 52:030 Section 23(1), an emergency shall constitute an affirmative defense to an action brought for noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or other relevant evidence that:
 - a. An emergency occurred and the permittee can identify the cause of the emergency;
 - b. The permitted facility was at the time being properly operated;
 - c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; and,
 - d. The permittee notified the division as promptly as possible and submitted written notice of the emergency to the division within ten (10) working days of the time when emission limitations were exceeded due to the emergency. The notice shall include a description of the emergency, steps taken to mitigate emissions, and the corrective actions taken.
2. Notification of the division does not relieve the source of any other local, state or federal notification requirements.
3. Emergency conditions listed in General Provision G(f)1 above are in addition to any emergency or upset provision(s) contained in an applicable requirement. [401 KAR 52:030 Section 23(3)]
4. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof. [401 KAR 52:030 Section 23(2)]

(g) Risk Management Provisions

1. The permittee shall comply with all applicable requirements of 401 KAR Chapter 68, Chemical Accident Prevention, which incorporates by reference 40 CFR Part 68, Risk Management Plan provisions. If required, the permittee shall comply with the Risk Management Program and submit a Risk Management Plan to:
RMP Reporting Center
P.O. Box 3346
Merrifield, VA, 22116-3346
2. If requested, submit additional relevant information by the division or the U.S. EPA.

SECTION G - GENERAL PROVISIONS (CONTINUED)

(h) Ozone depleting substances

1. The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR 82, Subpart F, except as provided for Motor Vehicle Air Conditioners (MVACs) in Subpart B:
 - a. Persons opening appliances for maintenance, service, repair, or disposal shall comply with the required practices contained in 40 CFR 82.156.
 - b. Equipment used during the maintenance, service, repair, or disposal of appliances shall comply with the standards for recycling and recovery equipment contained in 40 CFR 82.158.
 - c. Persons performing maintenance, service, repair, or disposal of appliances shall be certified by an approved technician certification program pursuant to 40 CFR 82.161.
 - d. Persons disposing of small appliances, MVACs, and MVAC-like appliances (as defined at 40 CFR 82.152) shall comply with the recordkeeping requirements pursuant to 40 CFR 82.166.
 - e. Persons owning commercial or industrial process refrigeration equipment shall comply with the leak repair requirements pursuant to 40 CFR 82.156.
 - f. Owners/operators of appliances normally containing 50 or more pounds of refrigerant shall keep records of refrigerant purchased and added to such appliances pursuant to 40 CFR 82.166.
2. If the permittee performs service on motor (fleet) vehicle air conditioners containing ozone-depleting substances, the source shall comply with all applicable requirements as specified in 40 CFR 82, Subpart B, Servicing of Motor Vehicle Air Conditioners.

SECTION H - ALTERNATE OPERATING SCENARIOS

Not Applicable

SECTION I - COMPLIANCE SCHEDULE

Not Applicable.